

FortiGate 100F Series

FG-100F and FG-101F



Highlights

Gartner Magic Quadrant Leader for both Network Firewalls and WAN Edge Infrastructure.

Security-Driven Networking FortiOS delivers converged networking and security.

State-of-the-Art Unparalleled Performance with Fortinet's patented / SPU / vSPU processors.

Enterprise Security with consolidated AI / ML-powered FortiGuard Services.

Deep Visibility

into applications, users, and devices beyond traditional firewall techniques.

AI/ML Security and Deep Visibility

The FortiGate 100F Series NGFW combines Al-powered security and machine learning to deliver Threat Protection at any scale. Get deeper visibility into your network and see applications, users, and devices before they become threats.

Powered by a rich set of AI/ML security capabilities that extend into an integrated security fabric platform, the FortiGate 100F Series delivers secure networking that is broad, deep, and automated. Secure your network end to end with advanced edge protection that includes web, content, and device security, while network segmentation and secure SD-WAN reduce complexity and risk in hybrid IT networks.

Universal ZTNA automatically controls, verifies, and facilitates user access to applications, reducing lateral threats by providing access only to validated users. Ultra-fast Threat Protection and SSL Inspection provides security at the edge you can see without impacting performance.

IPS	NGFW	Threat Protection	Interfaces
2.6 Gbps	1.6 Gbps	1 Gbps	Multiple GE RJ45, GE SFP and 10 GE SFP+ slots



Available in



Appliance



Virtual





Cloud



Container

FortiOS Everywhere

FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced Al/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

FortiConverter Migration Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



FortiGuard Services

FortiGuard AI-Powered Security

FortiGuard's rich suite of security services counter threats in real time using Al-powered, coordinated protection designed by FortiGuard Labs security threat researchers, engineers, and forensic specialists.

Web Security

Advanced cloud-delivered URL, DNS (Domain Name System), and Video Filtering providing complete protection for phishing and other web born attacks while meeting compliance.

Additionally, its dynamic inline CASB (Cloud Access Security Broker) service is focused on securing business SaaS data, while inline ZTNA traffic inspection and ZTNA posture check provide per-sessions access control to applications. It also integrates with the FortiClient Fabric Agent to extend protection to remote and mobile users.

Content Security

Advanced content security technologies enable the detection and prevention of known and unknown threats and file-based attack tactics in real-time. With capabilities like CPRL (Compact Pattern Recognition Language), AV, inline Sandbox, and lateral movement protection make it a complete solution to address ransomware, malware, and credential-based attacks.

Device Security

Advanced security technologies are optimized to monitor and protect IT, IIoT, and OT (Operational Technology) devices against vulnerability and device-based attack tactics. Its validated near-real-time IPS intelligence detects, and blocks known and zero-day threats, provides deep visibility and control into ICS/OT/SCADA protocols, and provides automated discovery, segmentation, and pattern identification-based policies.

Advanced Tools for SOC/NOC

Advanced NOC and SOC management tools attached to your NGFW provide simplified and faster time-to-activation.

SOC-as-a-Service

Includes tier-one hunting and automation, log location, 24×7 SOC analyst experts, managed firewall and endpoint functions, and alert triage.

Fabric Rating Security Best Practices

Includes supply chain virtual patching, up-to-date risk and vulnerability data to deliver quicker business decisions, and remediation for data breach situations.



Secure Any Edge at Any Scale

Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.



Powered by Purpose-Built Secure SD-WAN ASIC SOC4

- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Delivers industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for best user-experience on direct internet access
- Enables best of breed NGFW Security and deep SSL inspection with high performance
- Extends security to access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity
- Reduces environmental footprint by saving on average over 60% in power consumption compared to previous generation of FortiGate models



FortiCare Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



Use Cases

Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



Universal ZTNA

- Control access to applications no matter where the user is and no matter where the application is hosted for universal application of access policies
- Provide extensive authentications, checks, and enforce policy prior to granting application access—every time
- Agent-based access with FortiClient or agentless access via proxy portal for guest or BYOD




Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks

Hardware

FortiGate 100F Series



Interfaces

- 1. 1 x USB Port
- 2. 1 x Console Port
- 3. 2 x GE RJ45 MGMT/DMZ Ports
- 4. 2 x GE RJ45 WAN Ports
- 5. 2 x GE RJ45 HA Ports
- 6. 12 x GE RJ45 Ports
- 7. 2 × 10 GE SFP+ FortiLink Slots
- 8. 4 x GE SFP Slots
- 9. 4 x GE RJ45/ SFP Shared Media Pairs

Hardware Features



Dual Power Supplies

Power supply redundancy is essential in the operation of mission-critical networks. The FortiGate 100F Series offers dual built-in non-hot swappable power supplies.

Access Layer Security

FortiLink protocol enables you to converge security and the network access by integrating the FortiSwitch into the FortiGate as a logical extension of the NGFW. These FortiLink enabled ports can be reconfigured as regular ports as needed.

Specifications

Interfaces and ModulesHardware Accelerated GE RJ45 Ports1/2/1Hardware Accelerated GE RJ451/2/1Hardware Accelerated GE SFP Slots4Hardware Accelerated 10 GE SFP *2CE RJ45 WAN Ports2GE RJ45 or SFP Shared Ports *4USB Port1Console Port1Onbeard Storage0Included Transceivers0System Performance — Enterprise Traffic MixProfilining Number of Forti Support2.6 GbpsNGFW Throughput ^{2,4} 1.6 GbpsThreat Protection Throughput ^{2,4} 1.6 GbpsSystem Performance and CapacityProfilining Number of Forti Support2.0 / 18 / 10 GbpsSystem Performance and CapacityProfilining Number of Forti Support2.0 / 18 / 10 GbpsFirewall Throughput 2.41.6 GbpsFirewall Throughput (S12 byte)2.0 / 18 / 10 GbpsFirewall Phroughput (S12 byte)1.5 GbpsGateway-to-Gateway IPsec VPN Tunnels1.6 GbpsSLI-Npection Throughput1.6 GbpsSLI-Npection Throughput1.0 GbpsGradering Supporti Suppo		FORTIGATE 100F FORTIGATE 101F			
Hardware Accelerated GE RJ451/2/1Hardware Accelerated GE SPP Slots4Hardware Accelerated GE SPP Slots4Hardware Accelerated IG E SPP+ FortiLink Slots (default)2GE RJ45 WAN Ports2GE RJ45 or SPP Shared Ports *4USB Port1Console Port1Console Port1Console Port1Console Port1Console Port1Console Port1Console Port1Console Port1System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Locics10 000IPsec VPN Throughput (S12 byte) 11.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session135 000(HTTP 64K) 15 Gbps2.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsMaximum Number of FortiAPs Suppreted32Maximum Number of FortiAPs Suppreted32	Interfaces and Modules				
Management/ HA/ DMZ PortsHardware Accelerated GE SPP Slots4Hardware Accelerated 10 GE SFP +2GE RJ45 or SFP Shared 10 GE SFP +2GE RJ45 or SFP Shared Ports *4USB Port1Console Port1Onboard Storage0Included Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51.6 GbpsSystem Performance accepacityIPs Throughput 2.41.6 GbpsSystem Performance accepacityIPs A Firewall Throughput 2.520/18/10 GbpsSystem Performance accepacityIPs A Firewall Throughput 1.520/18/10 GbpsFirewall Throughput (Packet per Second)1.5 MillionNew Sessions/Second (TCP)5.6 000Firewall Policies1000IPsec VPN Throughput (S12 byte) 11.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection CPG (IPS, avg. HTTPS) 31800SSL Inspection CPG (IPS, avg. HTTPS) 32.2 GbpsVirtual Domains (Default / Maximum)10/10Maximum Number of FortiSwitches32Supported32Maximum Number of FortiBPS5000	Hardware Accelerated GE RJ45 Ports	12			
Hardware Accelerated 10 GE SFP+ FortiLink Slots (default)2GE RJ45 WAN Ports2GE RJ45 or SFP Shared Ports *4USB Port1Console Port1Onboard Storage01× 480 GB SSDIncluded Transceivers0System Performance — Enterprise Traffic Mix1IPS Throughput 2*2.6 GbpsNGFW Throughput 2*1.6 GbpsThreat Protection Throughput 2*1.6 GbpsSystem Performance and Capacity20 / 18 / 10 GbpsFirewall Throughput 1*20 / 18 / 10 GbpsFirewall Throughput (Packet per Second)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (S12 byte) 11.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Concurrent Sesions/CPD500SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection CPS (IPS, avg. HTTPS) 3135 000(PF, avg. HTTPS) 310 / 10Application Concurrent Session32CAPWAP Throughput (HTTP 64K)15 GbpsCAPWAP Throughput (HTTP 64K)136 JobpVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPS32Supported32Maximum Number of FortiAPS5000		1/2/1			
FortiLink Slots (default)GE R.J45 WAN Ports2GE R.J45 or SFP Shared Ports*4USB Port1Console Port1Onboard Storage01× 480 GB SSDIncluded Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 2.41.6 GbpsNGFW Throughput 2.41.6 GbpsSystem Performance and CapacityIPv4 Firewall Throughput 2.520/18 / 10 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPves Over Secondy15 MppsConcurrent Sessions (TCP)1.6 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Concurrent SSL-VPN Users Concurrent SSL-VPN Users Second Maximum, Tunnel Mode)500SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection CPS (IPS, avg. HTTPS) 31.5 GbpsCharter Session1.35 000SSL Inspection CPS (IPS, avg. HTTPS) 31.6 CbpsCAPWAP Throughput (HTTP 64K)1.5 GbpsCAPWAP Throughput (HTTP 64K)1.5 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs Choral / Tunnely3.2 (AddMaximum Number of FortiAPs Cond5.00Maximum Number of FortiAPs Cond5.00Maximum Number of FortiAPs Cond5.00Maximum Number of FortiAPs Cond5.00 <th>Hardware Accelerated GE SFP Slots</th> <th>4</th>	Hardware Accelerated GE SFP Slots	4			
GE RJ45 or SFP Shared Ports *4USB Port1Console Port1Onboard Storage01× 480 GB SSDIncluded Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (Packet per Second)20 / 18 / 10 GbpsFirewall Latency (64 byte, UDP)4.97 µsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 11.5 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection CPS (IPS, avg. HTTPS) 31800CAPWAP Throughput (HTTP 64K)15 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)32Maximum Number of FortiAPs (Total / Tunnel)500		2			
USB Port1Console Port1Onboard Storage0Included Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPV4 Firewall Throughput (Packet per Second)20 / 18 / 10 GbpsFirewall Latency (64 byte, UDP)4.97 μsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels500SSL Inspection Throughput (TTPS) 31800SSL Inspection Concurrent Session135 000(PFs, avg. HTTPS) 310 / 10Maximum Number of FortiSwitches32Maximum Number of FortiSwitches32Maximum Number of FortiSwitches500	GE RJ45 WAN Ports	2			
Console Port1Onboard Storage01× 480 GB SSDIncluded Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPv4 Firewall Throughput 100 GbpsFirewall Latency (64 byte, UDP)20 / 18 / 10 GbpsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-NPPC Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session135 000Cherya, HTTPS) 31800SSL Inspection Concurrent Session315 000Cherya, HTTPS) 31800SSL Inspection Concurrent Session315 000Cherya, HTTPS) 31800SSL Inspection Concurrent Session32 00Cherya, HTTPS) 310 / 10Maximum Number of FortiAPs32Maximum Number of FortiAPs128 / 64Maximum Number of FortiAPs5000	GE RJ45 or SFP Shared Ports *	4			
Onboard Storage01× 480 GB SSDIncluded Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPV4 Firewall Throughput20 / 18 / 10 GbpsFirewall Throughput (Packet per Second)1.5 MillionNew Sessions/Second (TCP)5.6 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput (1512 byte) 11.6 GbpsSSL Inspection Throughput (Packet per Second)1.6 UpsSSL Inspection Concurrent Sessions (TCP)3.00SSL Inspection Concurrent Session1.3 GbpsSSL Inspection Throughput (512 byte) 11.6 UpsSSL Inspection Throughput (Packet per Second)1.3 GbpsSSL Inspection Concurrent Session1.3 GolSSL Inspection Concurrent Session3.2 GolSSL Inspection Concurrent Session3.2 GolChrund Maximum, Tunnel Mode)2.2 GbpsSSL Inspection Concurrent Session3.13 GolSSL Inspection Concurrent Session3.2 GbpsChrund Control Throughput1.0 / 1.0Maximum Number of FortiAPs1.28 / 64Ortical / Tunnels3.2 GbpsSupported3.2 GbpsSupported3.2 Gbps	USB Port	1			
Included Transceivers0System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (Ad byte, UDP)20 / 18 / 10 GbpsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels500SSL Inspection Throughput (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session135 000SSL Inspection Concurrent Session313 500Cheps, avg. HTTPS) 31800SSL Inspection Concurrent Session32 00Cheps, avg. HTTPS) 31800SSL Inspection Concurrent Session32 00Cheps, avg. HTTPS) 31800SSL Inspection Concurrent Session32 00CAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs32 600Maximum Number of FortiAPs128 / 64Maximum Number of FortiAPs5000	Console Port	1			
System Performance — Enterprise Traffic MixIPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and Capacity20 / 18 / 10 GbpsIPv4 Firewall Throughput (54 byte, UDP)4.97 μsFirewall Latency (64 byte, UDP)4.97 μsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels500SSL Inspection Throughput (ISP) 31800SSL Inspection Concurrent Session135 000(IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session32 000SSL Inspection Concurrent Session32 000Concurrent Session32 000 </th <th>Onboard Storage</th> <th>0 1× 480 GB SSD</th>	Onboard Storage	0 1× 480 GB SSD			
IPS Throughput 22.6 GbpsNGFW Throughput 2.41.6 GbpsThreat Protection Throughput 2.51 GbpsSystem Performance and Capacity20 / 18 / 10 GbpsIPv4 Firewall Throughput (Totoghput (512 / 64 byte, UDP)4.97 µsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput1 GbpsSSL Inspection Chroughput1 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session135 000(IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session32CAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)32 (300)Maximum Number of FortiTokens500	Included Transceivers	0			
NGFW Throughput ^{2,4} 1.6 GbpsThreat Protection Throughput ^{2,5} 1 GbpsSystem Performance and Capacity20 / 18 / 10 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)20 / 18 / 10 GbpsFirewall Latency (64 byte, UDP)4.97 µsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels500SSL-VPN Throughput (IPS, avg. HTTPS) 31800SSL Inspection Throughput (IPS, avg. HTTPS) 3135 000SSL Inspection CPS (IPS, avg. HTTPS) 31300SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000CAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches (Total / Tunnel)320Maximum Number of FortiSwitches (Total / Tunnel)3200	System Performance — Enterprise Traffic Mi	x			
Threat Protection Throughput 2.51 GbpsSystem Performance and CapacityIPv4 Firewall Throughput20 / 18 / 10 GbpsFirewall Latency (64 byte, UDP)4.97 µsFirewall Latency (64 byte, UDP)4.97 µsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31800SSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 310 / 10Application Control Throughput (IPTF 64K) 215 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches (Total / Tunnel)32Maximum Number of FortiAPs (Total / Tunnel)128 / 64Maximum Number of FortiAPs (Total / Tunnel)5000	IPS Throughput ²	2.6 Gbps			
System Performance and CapacityIPv4 Firewall Throughput20 / 18 / 10 GbpsFirewall Latency (64 byte, UDP)4.97 µsFirewall Latency (64 byte, UDP)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31800SSL Inspection CPS (IPS, avg. HTTPS) 3135 000Application Concurrent Session (IPS, avg. HTTPS) 3128 / 64CAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches (Total / Tunnel)32Maximum Number of FortiAPs (Total / Tunnel)128 / 64Maximum Number of FortiTokens5000	NGFW Throughput ^{2, 4}	1.6 Gbps			
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)20 / 18 / 10 GbpsFirewall Latency (64 byte, UDP)4.97 μsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Chroughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 310 / 10Application Control Throughput (HTTP 64K) 215 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiSwitches (Total / Tunnel)128 / 64	Threat Protection Throughput ^{2,5}	1 Gbps			
(1518 / 512 / 64 byte, UDP)Firewall Latency (64 byte, UDP)4.97 µsFirewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 310 / 10Application Control Throughput (HTTP 64K) 215 GbpsVirtual Domains (Default / Maximum) upported10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiSwitches Supported128 / 64Maximum Number of FortiTokens5000	System Performance and Capacity				
Firewall Throughput (Packet per Second)15 MppsConcurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 32.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiSwitches (Total / Tunnel)3200		20 / 18 / 10 Gbps			
Concurrent Sessions (TCP)1.5 MillionNew Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 32.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiAPs (Total / Tunnel)128 / 64	Firewall Latency (64 byte, UDP)	4.97 µs			
New Sessions/Second (TCP)56 000Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3100Application Control Throughput (HTTP 64K) 22.2 GbpsCAPWAP Throughput (HTTP 64K)10 / 10Maximum Number of FortiSwitches supported32Maximum Number of FortiAPs (Total / Tunnel)128 / 64Maximum Number of FortiTokens5000	Firewall Throughput (Packet per Second)	15 Mpps			
Firewall Policies10 000IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3100Application Control Throughput (HTTP 64K) 22.2 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches supported32Maximum Number of FortiAPs (Total / Tunnel)128 / 64Maximum Number of FortiTokens5000	Concurrent Sessions (TCP)	1.5 Million			
IPsec VPN Throughput (512 byte) 111.5 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 310 / 10Application Control Throughput (HTTP 64K) 215 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiAPs (Total / Tunnel)128 / 64	New Sessions/Second (TCP)	56 000			
Gateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000Application Control Throughput (HTTP 64K) 22.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiTokens5000	Firewall Policies	10 000			
Client-to-Gateway IPsec VPN Tunnels16 000SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 32.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiTokens5000	IPsec VPN Throughput (512 byte) ¹	11.5 Gbps			
SSL-VPN Throughput1 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000Application Control Throughput (HTTP 64K) 215 GbpsCAPWAP Throughput (HTTP 64K)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiAPs (Total / Tunnel)128 / 64Maximum Number of FortiTokens5000	Gateway-to-Gateway IPsec VPN Tunnels	2000			
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)500SSL Inspection Throughput (IPS, avg. HTTPS) 31 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31800SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3135 000Application Control Throughput (HTTP 64K) 22.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiTokens5000	Client-to-Gateway IPsec VPN Tunnels	16 000			
(Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, avg. HTTPS) ³ 1 Gbps SSL Inspection CPS (IPS, avg. HTTPS) ³ 1800 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 135 000 Application Control Throughput (HTTP 64K) ² 2.2 Gbps CAPWAP Throughput (HTTP 64K) 15 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiSwitches supported 32 Maximum Number of FortiAPs (Total / Tunnel) 128 / 64 Maximum Number of FortiTokens 5000	SSL-VPN Throughput	1 Gbps			
(IPS, avg. HTTPS) ³ 1800 SSL Inspection COPS (IPS, avg. HTTPS) ³ 135 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 135 000 Application Control Throughput (HTTP 64K) ² 2.2 Gbps CAPWAP Throughput (HTTP 64K) 15 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiSwitches Supported 32 Maximum Number of FortiAPs (Total / Tunnel) 128 / 64 Maximum Number of FortiTokens 5000		500			
SSL Inspection Concurrent Session135 000(IPS, avg. HTTPS) 3135 000Application Control Throughput (HTTP 64K) 22.2 GbpsCAPWAP Throughput (HTTP 64K)15 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported32Maximum Number of FortiAPs (Total / Tunnel)128 / 64Maximum Number of FortiTokens5000		1 Gbps			
(IPS, avg. HTTPS) ³ Application Control Throughput (HTTP 64K) ² 2.2 Gbps CAPWAP Throughput (HTTP 64K) 15 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiSwitches Supported 32 Maximum Number of FortiAPs (Total / Tunnel) 128 / 64 Maximum Number of FortiTokens 5000	SSL Inspection CPS (IPS, avg. HTTPS) ³	1800			
(HTTP 64K) ² CAPWAP Throughput (HTTP 64K) 15 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiSwitches 32 Maximum Number of FortiAPs (Total / Tunnel) Maximum Number of FortiTokens 5000	SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	135 000			
Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiSwitches 32 Supported 128 / 64 Maximum Number of FortiAPs 128 / 64 Maximum Number of FortiTokens 5000		2.2 Gbps			
Maximum Number of FortiSwitches32Supported32Maximum Number of FortiAPs128 / 64(Total / Tunnel)5000	CAPWAP Throughput (HTTP 64K)	15 Gbps			
Supported Maximum Number of FortiAPs (Total / Tunnel) 128 / 64 Maximum Number of FortiTokens 5000	Virtual Domains (Default / Maximum)	10 / 10			
(Total / Tunnel) Maximum Number of FortiTokens 5000		32			
		128 / 64			
High Availability Configurations Active-Active, Active-Passive, Clustering	Maximum Number of FortiTokens	5000			
	High Availability Configurations	Active-Active, Active-Passive, Clustering			

	FORTIGATE 100F	FORTIGATE 101F		
Dimensions and Power				
Height x Width x Length (inches)	1.73 × 17 × 10			
Height x Width x Length (mm)	44 × 432 × 254			
Weight	7.25 lbs (3.29 kg)	7.56 lbs (3.43 kg)		
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 1 RU			
AC Power Supply	100-240V AC, 50/60 Hz			
Power Consumption (Average / Maximum)	26.5 W / 29.5 W	35.3 W / 39.1 W		
Current (Maximum)	100V / 1A, 240V / 0.5A			
Heat Dissipation	100.6 BTU/h	121.13 BTU/h		
Redundant Power Supplies	Yes (Default dual non-swappable AC PSU 1+1 Redundancy)			
Power Supply Efficiency Rating	80Plus Compliant			
Operating Environment and Certifications				
Operating Temperature	32°-104°F (0°-40°C)			
Storage Temperature	-31°-158°F (-35°-70°C)			
Humidity	10%–90% non-condensing			
Noise Level	40.4 dBA			
Forced Airflow	Side to Back			
Operating Altitude	Up to 7400 ft (2250 m)			
Compliance	FCC Part 15B, Class A, CE, RCM, VCCI, UL/cUL, CB, BSMI			
	USGv6/IPv6			

* Latency based on Ultra Low Latency (ULL ports)

Note: All performance values are "up to" and vary depending on system configuration. ¹ IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

³ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

- $^{\scriptscriptstyle 4}$ NGFW performance is measured with Firewall, IPS and Application Control enabled.
- ⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

⁶ Uses RSA-2048 certificate.



Ordering Information

Product	SKU	Description
FortiGate 100F	FG-100F	22x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 16x switch ports with 4 SFP port shared media), 4 SFP ports, 2× 10 GE SFP+ FortiLinks, dual power supplies redundancy.
FortiGate 101F	FG-101F	22x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 16x switch ports with 4 SFP port shared media), 4 SFP ports, 2× 10 GE SFP+ FortiLinks, 480GB onboard storage, dual power supplies redundancy.
Optional Accessories	SKU	Description
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceivers, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10GE SFP+ Transceiver Module, 30 km Long Range	FN-TRAN-SFP+BD27	10GE SFP+ transceiver module, 30KM long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately)
10GE SFP+ Transceiver Module, 30 km Long Range	FN-TRAN-SFP+BD33	10GE SFP+ transceiver module, 30KM long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately)

Subscriptions

		A-la-carte	Bundles		
Service Category	Service Offering		Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
Security Services	FortiGuard IPS Service	•	•	•	•
	FortiGuard Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
	FortiGuard Web Security — URL and web content, Video and Secure DNS Filtering	•	•	•	
	FortiGuard Anti-Spam		•	•	
	FortiGuard IoT Detection Service	٠	•		
	FortiGuard Industrial Security Service	•	•		
	FortiCloud AI-based Inline Sandbox Service ¹	•			
NOC Services	FortiGate Cloud (SMB Logging + Cloud Management)	•			
	FortiGuard Security Fabric Rating & Compliance Monitoring Service	•	•		
	FortiConverter Service	٠	•		
	FortiGuard SD-WAN Underlay Bandwidth and Quality Monitoring Service	•			
SOC Services	FortiAnalyzer Cloud	•			
	FortiAnalyzer Cloud with SOCaaS	•			
Hardware and Software Support	FortiCare Essentials	•			
	FortiCare Premium	•	•	•	•
	FortiCare Elite	•			
Base Services	FortiGuard Application Control				
	FortiCloud ZTNA Inline CASB Service ¹	included with FortiCare Subscription			
	Internet Service (SaaS) DB Updates				
	GeoIP DB Updates				
	Device/OS Detection Signatures				
	Trusted Certificate DB Updates				
	DDNS (v4/v6) Service				

1. Available when running FortiOS 7.2



FortiGuard Bundles


FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



F;RTINET

www.fortinet.com

Copyright © 2023 Fortinet, Inc. All rights reserved. FortiGate⁶, Fortinet⁶, Fortinet